


# The giRaph package for graph representation in R

Luca La Rocca\* Jens Henrik Badsberg\*\* Claus Dethlefsen\*\*\*

\* University of Modena and Reggio Emilia, Italy \*\* Statens Serum Institut, Denmark \*\*\* Aalborg Hospital, Denmark

## A broad notion of graph



General graphs may have

- hyper-edges, such as

b--d--e

f->e->b--d->a--c

- loops, such as

i<>i

- multiple edges, such as

b->d, d->b

e->h, e->h, e->h

f--i, f->i

Represented via incidence list

```
> G<-new("incidenceList",V=letters[1:12],  
+ E=list(d(6,5,c(2,4),c(1,3)), u(2,4,5), d(2,4),  
+ d(4,2), d(1,7), d(3,7), d(4,7), d(5,8),  
+ d(5,8), d(5,8), u(6,9), d(6,9), u(9,9),  
+ d(9,8), d(9,12), u(7,8), u(8,12),  
+ u(12,11), u(11,7), u(11,8), d(11,10)))  
> G  
An object of class "incidenceList"  
V={a,b,c,d,e,f,g,h,i,j,k,l}  
E={f->e->b--d->a--c, b--d--e, b->d, d->b, a->g, c->g,  
d->g, e->h, e->h, e->h, f--i, f->i, i<>i, i->h, i->l,  
g--h, h--l, l--k, k--g, k--h, k->j}
```

or via incidence matrix


```
> I<-as(G,"incidenceMatrix")  
> I[1:6] # incidence matrix of induced subgraph  
An object of class incidenceMatrix  
  a b c d e f  
[1,] 4 3 4 3 2 1  
[2,] 0 1 0 1 1 0  
[3,] 0 1 0 2 0 0  
[4,] 0 2 0 1 0 0
```

Both representations available for objects of class generalGraph

```
> gg<-new("generalGraph",incidenceList=G)  
> areTheSame(gg,new("generalGraph",incidenceMatrix=I))  
[1] TRUE
```

only incidence list for anyGraph objects.

## Multi-graphs



Hyper-edges banned

```
> mg<-as(gg,"multiGraph")  
Warning message:  
Coercing generalGraph to multiGraph,  
possibly loosing information...
```

adjacency list representation available

```
> adjacencyList(mg[5:9]) # gets induced subgraph first  
An object of class "adjacencyList"  
e -> {h,h,h}  
f -- {i}  
  -> {i}  
g -- {h}  
h <- {e,e,e,i}  
  -- {g}  
i <- {f}  
  -- {f,i}  
  -> {h}
```

## Setting representations

Representation in use can be changed

```
> incidenceMatrix(gg)<-incidenceMatrix(gg)  
> cisEmpty(gg@incidenceList),isEmpty(gg@incidenceMatrix)  
[1] TRUE FALSE
```

or a consistent representation can be added


```
> adjacencyList(mg,force=F)<-adjacencyList(mg)  
> cisEmpty(mg@adjacencyList),isEmpty(mg@incidenceList)  
[1] FALSE FALSE
```

## Working with vertices & edges

Possible via overloaded operators

```
mg<-mg+v("x","y") # adds two isolated vertices  
mg<-mg-v("a") # removes a vertex (& an edge...)  
mg<-mg+u(1,13) # adds an undirected edge (b--y)  
mg<-mg-d(1,3) # removes a directed edge (b->d)  
mg<-mg*v("b","d","y") # gets an induced subgraph
```

## Simple-graphs



Loops and multiple edges banned

```
> sg<-as(mg,"simpleGraph")  
Warning message:  
Coercing multiGraph to simpleGraph,  
possibly loosing information...
```

adjacency matrix representation available

```
> adjacencyMatrix(sg[7:12]) # gets induced subgraph first  
An object of class adjacencyMatrix  
  g h i j k l  
g 0 1 0 0 1 0  
h 1 0 0 0 1 1  
i 0 1 0 0 0 1  
j 0 0 0 0 0 0  
k 1 1 0 1 0 1  
l 0 1 0 0 1 0
```

## Connection to other packages

Suggests (but does not depend on)

- Original S code by P.J. Burns. Ported to R by N. Efthymiou (2005). **mathgraph**: Directed and undirected graphs. R package version 0.9-6.
- J.H. Badsberg (2005). **dynamicGraph**: dynamicGraph. R package version 0.2.0.1.

## References

- J.H. Badsberg, C. Dethlefsen & L. La Rocca (2006). giRaph: The giRaph package for graph representation in R. R package version 0.0.1.1. <http://www.math.aau.dk/~dethlef/giRaph>
- S.L. Lauritzen (2002). gRaphical models in R: A new initiative within the R project. R News, 2(3):39, December 2002.